Table of contents

1. Cylindrical Gears, Macrogeometry 1
1.1. Gear Types and Scope 1
1.2. Geometrical Parameters 2
1.2.1. Cylindrical Gears and the Law of Gearing 2
1.2.2. The Involute Profile 6
1.2.3. Involute Profile Equation 6
1.2.4. Tooth Thickness at an Arbitrary Diameter 8
1.2.5. Transmission of Movement 8
1.3. Module, Basic Rack and Pressure Angle 9
1.3.1. Module and Pitch 9
1.3.2. The Basic Rack Profile 10
1.3.3. Choosing the Pressure Angle 11
1.4. Profile Generation by Means of a Rack 11
1.5. Profile Shift 14
1.5.1. Effect on the Tooth Form 14
1.5.2. Undercut and Minimum Number of Teeth 15
1.5.3. Pointed Tip and Tip Shortening 16
1.5.4. Gear Pair Types and Centre Distance 16
1.5.5. Choosing and Distributing the Profile Shift 17
1.6. Helical Gears 18
1.6.1. Normal and Transverse Sections 19
1.6.2. Gears Basic Data 20
1.6.3. Main Formulae for Individual Gears 22
1.6.4. Choosing the Helix Angle 22
1.7. Gear Pairs: Meshing, Contact Ratio and Sliding 23
1.7.1. Main Formulae for Gear Pairs 23
1.7.2. Characteristic Points of Meshing 23
1.7.3. Usable and Active Flank 24
1.7.4. Contact Ratios 25
1.7.5. Conditions to be Fulfilled by Two Mating Gears 26
1.7.6. Effect of the Contact Ratio on Noise Emission 26
1.7.7. Masuda Formula for Noise Prediction 26
1.7.8. Sliding Conditions 28

1.7.9. Internal Gears . . . 31
1.8. Tooth Thickness, Backlash and Accuracy . . . 31
1.8.1. Tooth Thickness Allowances and Tolerances . . . 31
1.8.2. Backlash . . . 32
1.8.3. Measuring the Tooth Thickness . . . 34
1.8.4. What the Gear Drawing Must Specify . . . 35
1.8.5. Accuracy Grade . . . 35
1.8.6. Geometry Set by the Manufacturing Process . . . 36
1.9. Forces on the Gear Mesh . . . 37
1.10. Failure Modes . . . 39
1.10.1. Gear Breakages . . . 39
1.10.2. Active Tooth Flank Damages . . . 40
1.11. Load Capacity According to ISO 6336 . . . 42
1.11.1. Changes Introduced by ISO 6336:2019 . . . 42
1.11.2. Rating Logic . . . 43
1.11.3. Calculation Methods A, B and C . . . 44
1.11.4. Validity Limits of the Standard . . . 44
1.12. Load Factors . . . 45
1.12.1. Application Factor K_A . . . 45
1.12.2. Dynamic Factor K_V . . . 46
1.12.3. Face Load Factors $K_{H\beta}$ and $K_{F\beta}$ . . . 47
1.12.4. Transverse Load Factors $K_{H\alpha}$ and $K_{F\alpha}$ . . . 47
1.12.5. Load Sharing Factor K_γ . . . 48
1.13. Surface Durability (Pitting) . . . 48
1.13.1. Calculation of the Contact Stress . . . 48
1.13.2. Calculation of the Permissible Contact Stress . . . 50
1.13.3. Calculation of the Limit Contact Stress . . . 55
1.13.4. Remedies for Pitting Problems . . . 55
1.14. Tooth Root Strength . . . 55
1.14.1. Calculation of the Tooth Root Stress . . . 56
1.14.2. Evaluation of the Nominal Tooth Root Stress σ_{F0} . . . 56
1.14.3. Calculation of the Permissible Tooth Root Stress . . . 60
1.14.4. Calculation of the Limit Tooth Root Stress . . . 63
1.14.5. Remedies for Tooth Root Problems . . . 64
1.15. Static Strength and Abuse Torque . . . 64
1.15.1. Static or Fatigue Check? . . . 64
1.15.2. Static Verification of the Tooth Root . . . 65

1.16. Required Safety Factors and Reliability 65
1.16.1. Minimum Safety Factors 65
1.16.2. Safety, Life, Damage and Reliability 66
1.17. Gear Strength Calculation with Duty Cycles 67
1.17.1. Mission Profile 68
1.17.2. Summary 74
1.17.3. Safety Factor Obtainment under a Duty Cycle 75
1.17.4. Preliminary and Complementary Calculations when Verifying Gears 81
1.18. Design Summary 83
1.19. Further Reading 84
1.20. Main Symbols 84

2. Cylindrical Gears, Microgeometry 87
2.1. Flank Modifications 88
2.1.1. Profile Modifications 88
2.1.2. Lead Modifications 89
2.1.3. Flank Face Modifications 90
2.1.4. Where a Modification Starts 91
2.1.5. Specifying and Tolerancing a Modification 92
2.2. Purpose of Microgeometry 93
2.3. Gear Noise Fundamentals 94
2.3.1. Causes of Noise and the Transmission Path 95
2.3.2. Noise Types 95
2.3.3. Frequencies, Sidebands and Order Maps 97
2.3.4. Levels and Rules of Thumb 99
2.3.5. Design Levers for Low Whine 100
2.4. Transmission Error 101
2.4.1. Definition and Units 101
2.4.2. No-Load Transmission Error from Profile and Pitch Deviations 103
2.4.3. Peak-to-Peak Value or Harmonics? 104
2.4.4. Mesh Stiffness Variation 105
2.4.5. Other Excitations 105
2.5. Tip Relief and Harris Maps 106
2.5.1. Elastic Deflection of Gears and Need for a Relief 106
2.5.2. Harris Maps and Transmission Error for Spur Gears 107
2.5.3. Design Load and Tip Relief Concepts 109
2.5.4. Relief Sizing Rules 112
2.5.5. Effect of the Contact Ratio on the Transmission Error 113

2.6. Gear Dynamics for the Designer . . . 113
2.6.1. The Gear Pair as a Vibrating System . . . 114
2.6.2. From Transmission Error to Dynamic Force . . . 114
2.6.3. Nonlinear Effects at Light Load . . . 115
2.6.4. Coupled Modes . . . 116
2.6.5. Path and Housing . . . 116
2.7. Manufacturing Deviations and Inspection . . . 117
2.7.1. On Manufacturing Errors . . . 117
2.7.2. Pitch Deviations . . . 117
2.7.3. Profile and Helix Deviations . . . 118
2.7.4. Runout and Composite Deviations . . . 119
2.7.5. Which Deviations Matter . . . 120
2.7.6. Reading Inspection Charts . . . 120
2.7.7. Causes of Geometric Errors . . . 122
2.7.8. Spacing Errors and Dynamics . . . 122
2.7.9. Waviness and Ghost Tones . . . 123
2.8. Effects of Microgeometry on Face Load Distribution . . . 124
2.8.1. The Concept of Face Load Factor from ISO . . . 124
2.8.2. Calculation of $K_{H\beta}$ According to ISO 6336-1 – Annex E . . . 125
2.8.3. Sizing Process for Tooth Flank Modifications . . . 129
2.8.4. Planetary Stages: Load Sharing between Planets . . . 131
2.9. Loaded Tooth Contact Analysis . . . 131
2.9.1. Tooth Pair Stiffness Evaluation . . . 132
2.9.2. Inputs and Results of a Contact Analysis . . . 141
2.9.3. Validation of Contact Analysis Results . . . 144
2.10. Robust Microgeometry Design . . . 146
2.10.1. Design Loads over the Duty Cycle . . . 146
2.10.2. Tolerance Robustness . . . 146
2.10.3. Trade-offs with Efficiency and Lubrication . . . 147
2.11. Planetary Gear Sets: Phasing and Sidebands . . . 148
2.11.1. Mesh Frequency . . . 148
2.11.2. Mesh Phasing . . . 148
2.11.3. Sidebands of Planetary Stages . . . 149
2.11.4. Ring Gear Rim . . . 149
2.12. Rattle and Clunk . . . 149
2.12.1. Rattle Mechanism and Criterion . . . 150
2.12.2. Design Levers against Rattle . . . 150

2.12.3. Clunk . . . 151
2.13. Measuring the Transmission Error and Acceptance . . . 151
2.14. Design Summary . . . 152
2.15. Further Reading . . . 153
2.16. Main Symbols . . . 154

3. Shafts and Rolling Bearings . . . 157
3.1. The Shaft–Bearing System in a Gearbox . . . 158
3.2. Rolling Bearing Types and Selection . . . 160
3.2.1. Ball and Roller Bearings . . . 161
3.2.2. Designation . . . 162
3.2.3. Typical Choices in Gearboxes . . . 163
3.3. Internal Geometry . . . 163
3.3.1. Pitch Diameter, Rolling Elements and Clearance . . . 164
3.3.2. Curvature Ratio (Conformity) . . . 165
3.3.3. Free Contact Angle and Endplay . . . 165
3.3.4. Roller Bearings . . . 166
3.4. Contact Stresses and Deformation . . . 167
3.4.1. Point Contact . . . 167
3.4.2. Line Contact and Roller Profiles . . . 168
3.4.3. Subsurface Stresses . . . 169
3.5. Load Distribution, Clearance and Preload . . . 169
3.5.1. Load–Deflection Law and Load Zone . . . 169
3.5.2. Combined Loads . . . 170
3.5.3. Effect of Clearance and Preload on Life . . . 171
3.5.4. Internal Load Distribution in ISO/TS 16281 . . . 171
3.6. Bearing Stiffness and Its Effect on the Gear Mesh . . . 172
3.6.1. Deflection of a Bearing . . . 172
3.6.2. From Bearing Deflection to Mesh Misalignment . . . 173
3.7. Fits, Tolerances and Operating Clearance . . . 174
3.7.1. Rotating and Stationary Loads . . . 174
3.7.2. Recommended Fits . . . 175
3.7.3. From Unmounted to Operating Clearance . . . 175
3.8. Bearing Arrangements, Preload and Minimum Load . . . 177
3.8.1. Arrangements . . . 177
3.8.2. Induced Axial Forces in Adjusted Pairs . . . 178
3.8.3. Clearance, Preload and Temperature . . . 179
3.8.4. Minimum Load . . . 180

3.9. Kinematics, Speed Limits, Friction and Heat . . . 181
3.9.1. Speeds of Cage and Rolling Elements . . . 181
3.9.2. Speed Limits . . . 181
3.9.3. High-Speed Effects and Skidding . . . 182
3.9.4. Friction and Power Loss . . . 182
3.9.5. Temperature . . . 183
3.10. Lubrication and Contamination . . . 184
3.10.1. Elastohydrodynamic Film . . . 184
3.10.2. Viscosity Ratio . . . 184
3.10.3. Contamination . . . 185
3.10.4. Additives, Cages, Seals and Supply . . . 186
3.11. Static Load Rating and Static Safety . . . 187
3.11.1. Basic Static Load Rating . . . 187
3.11.2. Static Equivalent Load and Static Safety . . . 188
3.12. Dynamic Load Rating and Rating Life . . . 189
3.12.1. Basic Dynamic Load Rating and Basic Rating Life . . . 190
3.12.2. Limits of the Basic Rating Life . . . 190
3.12.3. Reliability . . . 191
3.12.4. Modified Rating Life . . . 191
3.12.5. Variable Loads and Duty Cycles . . . 192
3.13. Shaft Design . . . 193
3.13.1. Loads and Nominal Stresses . . . 193
3.13.2. Strength According to DIN 743 . . . 194
3.13.3. Deflection and Slope . . . 195
3.13.4. Critical Speeds . . . 195
3.13.5. Materials and Connections . . . 196
3.14. Failure Modes, Damage Analysis and Monitoring . . . 196
3.14.1. Classification . . . 196
3.14.2. Electrical Erosion in Electric Drives . . . 198
3.14.3. Running Tracks . . . 198
3.14.4. Vibration and Condition Monitoring . . . 198
3.15. Design Checklist . . . 200
3.16. Further Reading . . . 202
3.17. Main Symbols . . . 202

4. Cylindrical Gear Sizing with KISSsoft . . . 205
4.1. Requirements and calculation-model setup . . . 205
4.2. Macrogeometry relations and independent checks . . . 206

4.3. Rough sizing: establish the feasible envelope 207
4.4. Profile-shift distribution 208
4.5. Fine-sizing search space 209
4.6. Fine-sizing results and multi-objective ranking 210
4.7. Tooth form and deep-profile sizing 211
4.8. Deep-profile candidate and worked comparison 212
4.9. ISO 6336 strength as a design constraint 214
4.10. Microgeometry: purpose and available forms 215
4.11. Profile-relief sizing across load 215
4.12. Lead modification and support-system deformation 216
4.13. Loaded tooth contact analysis formulation 217
4.14. Contact-analysis setup and case matrix 217
4.15. Contact pattern and normal-force distribution 218
4.16. Root stress, pressure and surface risk 220
4.17. Transmission error and robust optimization 221
4.18. Manufacturing, inspection and validation 221
4.19. Reproducible procedure, conclusions and references 222

5. Intelligent Gear Optimization 225
5.1. From requirements to an optimization problem 226
5.2. Macrogeometry parameterization 227
5.3. Objectives, constraints, and mixed variables 227
5.4. Efficiency, excitation, and standardized strength 228
5.5. Why genetic algorithms fit gear design 229
5.6. Operators and constraint handling 230
5.7. NSGA-II and the Pareto archive 231
5.8. The MATLAB–KISSsoft calculation architecture 232
5.9. A robust evaluation function 234
5.10. Verification and validation of the search 235
5.11. Stability, resolution, and computational cost 236
5.12. Case study: duty and common assumptions 236
5.13. Low-noise variant: efficiency and noise proxy 237
5.14. Low-noise Pareto front and design selection 239
5.15. Low-noise decision-variable tendencies 240
5.16. Lightweight variant: formulation and Pareto result 241
5.17. Lightweight design families and compromise 242
5.18. Low-noise versus lightweight macrogeometry 243
5.19. Loaded contact analysis: meshing and specific sliding 243

5.20. Loaded contact analysis: transmission error and stiffness 244
5.21. Loaded contact analysis: pressure and face stress 245
5.22. Robust selection, implementation checklist, and outlook 246

Bibliography 249